## **Declaration of Performance**

## <u>Index</u>

	Description	<u>Max Size</u>	<u>No.</u>
1.—	PVCu Casement Windows Int. Glazed	<del>750w x 1350h</del>	CE-DOP-01
<del>2.    </del>	PVCu Tilt and Turn Int. Glazed	<del>1500w x 1500h</del>	CE-DOP-02
3.	Glissade 22 Casement Int. Glazed	750w x 1900h	003-UK-CPR
4.	Glissade 22 Tilt and Turn Int. Glazed	1250w x 2400h	004-UK-CPR
<del>5.</del> —	Sapa Dualsecure (75mm) HD Single Door O/In Low Threshold	<del>1250w x 2500h</del>	CE-DOP-05
<del>5A.</del>	Sapa Dualsecure (75mm) HD Single Door O/In Low Threshold for Emergency Exit	1250w x 2500h	CE-DOP-05A
<del>6</del>	Sapa Dualsecure (75mm) HD Double Door O/In Low Threshold	2446w x 2500h	CE-DOP-06
<del>6A</del>	Sapa Dualsecure (75mm) HD Double Door O/In Low Threshold for Emergency Exist	<del>2446w x 2500h</del>	CE-DOP-06A
7.—	<del>Sapa (Crown) 98mm Patio Door, 4 Pane</del> <del>(120kg/panel)</del>	<del>6353w x 2500h</del>	CE-DOP-07
<del>8.   </del>	Reynaers Vision 50 Door	(Not issued)	CE-DOP-08
<del>9.   </del>	Reynaers CE68 Doors O/In and O/Out Single Types D1-A, B, C and D2A, B, C	1448w x 2265h	CE-DOP-09
<del>10</del>	Reynaers CS68 Doors O/In and O/Out Double Types D3-A, B, C and D4-A, B, C	<del>2780w x 2411h</del> <del>Except D4-C which is 2806w x 2561h</del>	CE-DOP-10
11.	Reynaers CW50 Curtain Wall	Refer to Manual	011-UK-CPR
<del>12.</del>	Reynaers CW50-HI Curtain Wall	<del>1500w x 3000h 2000w x 2400h</del>	CE-DOP-12
<del>13.</del>	Reynaers CW50-HL Curtain Wall	<del>2500w x 2400h</del>	CE-DOP-13
14.	Reynaers CS77 Windows	Refer to Manual	014-UK-CPR
<del>15.</del>	Reynaers CS77 Type 2 (Double Casement)	<del>2300w x 2300h</del>	CE-DOP-15
<del>16.</del>	Reynaers CP155 Sliding Doors Type S1 (slide)	<del>3115w x 2510h</del>	CE-DOP-16
<del>17.</del>	(As above but) Type S2 (Monorail)	<del>3100w x 2500h</del>	CE-DOP-17

<del>18.</del>	(As above but) Type S3 (Lift and slide)	<del>3115w x 2510h</del>	CE-DOP-18
<del>19.</del>	(As above but) Type S4 (3 Rail Slide)	<del>1550w x 2510h</del> <del>(vent)</del>	CE-DOP-19
<del>20.</del>	(As above but) S5 (3 Rail, Lift and slide)	<del>1550w x 2510h (Vent)</del>	CE-DOP-20
<del>21.</del>	Reynaers CP130 sliding doors, Type S1 (slide)	<del>3000w x 2700h</del>	CE-DOP-21
<del>22.</del>	(As above but) Type S2 (Monorail Slide)	<del>3000w x 2700h</del>	CE-DOP-22
<del>23.</del>	(As above but) Type S3 (Lift and Slide)	<del>2992w x 2683h</del>	CE-DOP-23
<del>24.</del>	(As above but) Type S4 (3 Rail Slide)	<del>1500w x 2700h (vent)</del>	CE-DOP-24
<del>25.</del>	<del>(As above but) Type S5 (3 Rail Lift and</del> <del>Slide)</del>	<del>1500w x 2683h</del> <del>(vent)</del>	CE-DOP-25
<del>26.</del>	PVCu 70mm Door System	<del>1000w x 2300h</del> <del>(leaf)</del>	CE-DOP-26
27.	Senior Architectural Systems PURe Casement	1442w x 1442h (TH Vent) 1000w x 1500h (SH Vent)	027-UK-CPR
28.	Senior Architectural Systems Ali-VU Casement	1570w x 1570h (TH Vent) 950w x 1570h	028-UK-CPR
29.	Senior Architectural System SPW600e Casement	(SH Vent) 1200w x 1200h (TH Vent) 1000w x 1500h (SH Vent)	029-UK-CPR
30.	Smart Systems Alitherm Heritage (Int. Glazed)	1750w x 1400h (TH HD Vent) 838w x 1750h (SH HD Vent) 1200w x 1200h (T/T Vent) 2100w x 2100h (Fixed Light)	030-UK-CPR
31.	Smart Systems Alitherm Heritage (Ext. Glazed)	(As Above)	031-UK-CPR
32.	Reynaers SL38 Tilt and Turn	Refer to Manual	032-UK-CPR
33.	Reynaers CS77 Door (Other)	Refer to Manual	033-UK-CPR

34.	Senior Architectural Systems Ali-FOLD Door, Open-Out (Other)	1000w x 2616h (Leaf)	034-UK-CPR
35.	Senior Architectural Systems Ali-FOLD Door (Open-In (Other)	1000w x 2616h (Leaf)	035-UK-CPR
36.	Senior Architectural Systems PURe Door (Other)	1000w x 2616h (Leaf)	036-UK-CPR
37.	Smart Systems Alitherm Heritage Door, Open-Out (Other)	900w x 2100h (Leaf)	037-UK-CPR
38.	Smart Systems SmartWall Pivot Door, Rebated (Other)	1200w x 2500h (Leaf)	038-UK-CPR
39.	Smart Systems SmartWall Pivot Door, Non-Rebated (Other)	1200w x 2500h (Leaf)	039-UK-CPR
40.	Smart Systems SmartWall AutoSlide Door (Other)	1544w x 2495h (leaf)	040-UK-CPR
41.	Reynaers V50i Door (Other)	Refer to Manual	041-UK-CPR
42.	Senior Architectural Systems Ali-FOLD Door (On Escape Route)	1000w x 2616h (Leaf)	042-UK-CPR
43.	Senior Architectural Systems PURe Door (On Escape Route)	1000w x 2616h (Leaf)	043-UK-CPR
44.	Smart Systems Alitherm Heritage Door (On Escape Route)	1000w x 2500h (Leaf)	044-UK-CPR
45	Smart Systems SmartWall Pivot Door, Rebated (On Escape Route)	1200w x 2500h (Leaf)	045-UK-CPR
46.	Smart Systems SmartWall Pivot, Non- Rebated (On Escape Route)	1200w x 2500h (Leaf)	046-UK-CPR
47	Reynaers CS77 Door (On Escape Route)	Refer to Manual	047-UK-CPR
48	Reynaers V50i Door (On Escape Route)	Refer to Manual	048-UK-CPR
49	Smart Systems Visofold 1000 Door, Low Threshold (Other)	1200w x 2500h (Leaf)	049-UK-CPR